
SMOKING













dental hygiene problems

facial wrinkles

emphysema

asthma

lung cancer

heart disease

impaired immune system

cervical cancer

Effects of smoking on health

kidney cancer

mouth, lip and throat cancer

leukaemia

pancreatic cancer

bronchitis

testicular cancer

osteoporosis

stomach cancer

liver cancer

bladder cancer



What's in a cigarette?

- · 60 substances that cause cancer.
- · Ammonia (toilet cleaner)
- · Radioactive polonium
- · Arsenic (rat poison) · Formaldehyde (used to embalm dead people)
- · Acetone (nail polish remover)
- · Tar (yeah, that brown sticky stuff)
- · Carbon monoxide (car exhast fumes)
- · Urea (found in human and animal urine!)

Chemicals in cigarette smoke

Nicotine
 An addictive drug

Tar

A sticky brown substance that is deposited in the lungs. It is a carcinogen (causes cancer)

Carbon Monoxide

Reduces the oxygen carrying ability of blood

Scary smoking facts

In the UK about 114,000 people die every year. (That's about 13 an hour)

5 x more people die as a result of smoking than road traffic accidents, poisoning and overdose, alcoholic liver disease, murder and manslaughter, suicide and HIV infection ALL PUT TOGETHER

About half of smokers will eventually be killed by their habit.

More Scary facts

- People living with a smoker are 25% more likely to get lung cancer.
- Every year, 17,000 children are admitted to hospital due to inhaling smoke from those around them.



What laws are in place to do with smoking?

• Age You have to be 18

Where you can smoke

Banned in public places

Cigarette packets

Have to have a health warning on them

Price of cigarettes

Taxes make them expensive £8- £12 per packet of 20.







Smoking when pregnant harms your baby
















Cost to smokers

 A 20- a day smoker will spend about £3500-4000 a year on cigarettes

Risk of disease

- Smoking causes 90% of lung cancer, 80% bronchitis and emphysema and 17% heart disease
- 85-90% of all cancer deaths can be attributed to smoking, including: lung, mouth, lip, throat, bladder, kidney, stomach, liver, cervix

Second-hand Smoke

- May cause- lung cancer and heart disease in adult non smokers, reduced lung function in adults with no chronic chest problems, irritation of the eye, nose and throat
- Harms children and babies- increased risk of respiratory problems, increased risk of cot death and glue ear
- 600,000 deaths a year are caused by second-hand smoke